


GANCIO A FORCELLA GR. 80 'GKN' CON LINGUETTA


Articolo d'importazione



Codice	Dimensioni									Peso	W.L.L.
	A	B	C	E	H	M	N	L	P	Kg.	t
	mm	mm	mm	mm	mm	mm	mm	mm	mm		
AMP/GKN-06-8	7,5	32	7	19,5	20	68	15	108	73	0,3	1,12
AMP/GKN-07/8-8	9,5	38,5	10	24	25	87	17	129,5	87	0,55	2
AMP/GKN-10-8	13	48	10	28	36	106	23,5	163,5	104	0,96	3,15
AMP/GKN-13-8	16	55	12	34,5	41,6	130	28	196	127	1,52	5,3
AMP/GKN-16-8	18,5	65,5	20,5	43	46	155,5	35	239	157	3,43	8
AMP/GKN-20-8	24	92	22	51,5	51	180	42	281	192	6,73	12,5

GANCIO A FORCELLA DI SICUREZZA GR. 80 'BKG'

Articolo d'importazione



Codice	Dimensioni									Peso	W.L.L.
	A	B	E	E1	L1	L	H	N	M	Kg.	t
	mm	mm	mm	mm	mm	mm	mm	mm	mm		
AMP/BKG-06-8	8	32	32	28	99	134	20	15	70	0,44	1,12
AMP/BKG-07/8-8	9,5	38,5	39	35	119	161,8	26	20	91	0,8	2
AMP/BKG-10-8	12,5	46	48	45	143	196	30	26	108	1,38	3,15
AMP/BKG-13-8	15	59	65	52,5	179	249	40	33	142	2,81	5,3
AMP/BKG-16-8	18,5	77	65	63	225	310	50,5	38	168,6	6	8
AMP/BKG-20-8	24	81	85	85	238	335	55	50	185	7,25	12,5
AMP/BKG-22-8	25	97,5	80	76	277	392	67	52	202	12,8	15


GANCIO ACCORCIATORE AD OCCHIO GR. 80

Articolo d'importazione



Codice	Dimensioni								Peso	W.L.L.
	A	B	E	M	H	L	R	∅	Kg.	t
	mm	mm	mm	mm	mm	mm	mm	mm		
AMP/OG-06-8	8	21,5	8	45,5	18	73	47	14,5	0,14	1,12
AMP/OG-07/8-8	9,5	30	10	52	23,5	93,5	60,5	16	0,27	2
AMP/OG-10-8	12	44	13	70	31	122,5	80,6	21	0,64	3,15
AMP/OG-13-8	16	52,5	17	89	38,5	157,5	103	26,3	1,3	5,3
AMP/OG-16-8	19	64	19,5	113	57,4	204	127	30	2,7	8
AMP/OG-20-8	23	74	25	145	55,5	219	140	37,5	4,6	12,5
AMP/OG-22-8	26	90	28	160	64,5	259	165	44	8,2	15

Questi ganci sono sprovvisti di linguetta e quindi devono essere utilizzati solo ed esclusivamente come ganci accorciatori e non come ganci di sollevamento.




GANCIO AD OCCHIO GR. 80 CON LINGUETTA

Articolo d'importazione




Codice	Dimensioni									Peso	W.L.L.
	∅	B	C	D	E	H	L	N	P	Kg.	t
	mm	mm	mm	mm	mm	mm	mm	mm	mm		
AMP/OKN-06-8	20,5	68	7	9	18,5	20	109	15	80	0,3	1,12
AMP/OKN-07/8-8	25	84	10	11	22	27	133,5	18	95,5	0,55	2
AMP/OKN-10-8	34	102,5	10,5	14	28	33	167	23,5	121	1,05	3,15
AMP/OKN-13-8	42,5	128,5	13	17,5	35	40	207,5	30	150	1,75	5,3
AMP/OKN-16-8	52	156,5	16	22	43	48	253	35,5	183	3,2	8



GANCIO AD OCCHIO DI SICUREZZA GR. 80


Articolo d'importazione



Codice	Dimensioni									Peso	W.L.L.
	Ø	E	E1	L1	L	H	D	N	M	Kg.	t
	mm	mm	mm	mm	mm	mm	mm	mm	mm		
AMP/BK-06-8	21	32	28	110	141	20	11	15	70	0,5	1,12
AMP/BK-07/8-8	25	39	35	136	175	26	13	20	91	0,88	2
AMP/BK-10-8	34,5	48	45	169	213	30	15	26	108	1,58	3,15
AMP/BK-13-8	40	65	52,5	207	268	40	21	33	142	3	5,3
AMP/BK-16-8	50	65	63	254	332	50,5	27	38	168,6	5,9	8
AMP/BK-20-8	64,5	85	85	278	360	55	27	50	185	7	12,5
AMP/BK-22-8	70	80	76	319	415	67	32	52	202	12,3	15

GANCIO AD OCCHIO PER FONDERIA GR. 80

Articolo d'importazione



Codice	Dimensioni									Peso	W.L.L.
	A	E	Ø	H	M	N	Q	L	K	Kg.	t
	mm	mm	mm	mm	mm	mm	mm	mm	mm		
AMP/OKE-06-8	40	62	18	31	25,4	18	120	164	121	1,02	1,6
AMP/OKE-07/8-8	40	62	18	31	25,4	18	120	164	121	1,05	2
AMP/OKE-10-8	50,8	76	22	38	32,6	23	146	200	146	2,03	3,2
AMP/OKE-13-8	63,5	89	27	44,5	38	27	171	238	174	3,09	5,4
AMP/OKE-16-8	76	102	32	52	46	32	198	278	204	5,26	8,2
AMP/OKE-20-8	89	114,5	38	65	55	39	232	325	235	9,74	12,8