


TENDITORE ZINCATO A 2 FORCELLE DIN I 480

Acciaio Fe 430 B

CARFER




| Codice | Misura | A | B | C | D | E | F | G | H | L1 | L2 | Bullone | S.W.L. | Peso |
|--------|--------|----|-----|-----|----|----|----|----|-----|-----|-----|----------|--------|------|
| | | mm | mm | mm | mm | mm | mm | mm | mm | mm | mm | mm | Kg | Kg |
| A16006 | M 6 | 12 | 110 | 55 | 7 | 19 | 19 | 12 | 87 | 174 | 260 | 5 x 25 | 230 | 0,09 |
| A16008 | M 8 | 15 | 110 | 55 | 9 | 23 | 25 | 14 | 95 | 190 | 270 | 6 x 31 | 230 | 0,22 |
| A16010 | M 10 | 18 | 125 | 68 | 11 | 26 | 25 | 17 | 111 | 222 | 312 | 8 x 36 | 440 | 0,33 |
| A16012 | M 12 | 21 | 125 | 69 | 15 | 32 | 37 | 24 | 122 | 244 | 328 | 10 x 40 | 600 | 0,58 |
| A16014 | M 14 | 22 | 140 | 88 | 19 | 37 | 41 | 30 | 155 | 310 | 395 | 12 x 50 | 600 | 1,04 |
| A16016 | M 16 | 27 | 170 | 91 | 20 | 41 | 45 | 32 | 166 | 332 | 435 | 12 x 50 | 800 | 1,21 |
| A16018 | M 18 | 27 | 180 | 100 | 25 | 50 | 48 | 32 | 172 | 344 | 470 | 16 x 60 | 1650 | 2,02 |
| A16020 | M 20 | 34 | 200 | 111 | 25 | 50 | 48 | 40 | 189 | 378 | 510 | 16 x 60 | 1650 | 2,14 |
| A16022 | M 22 | 36 | 220 | 120 | 30 | 61 | 55 | 45 | 209 | 418 | 565 | 20 x 65 | 2600 | 3,37 |
| A16024 | M 24 | 39 | 255 | 130 | 31 | 68 | 62 | 52 | 247 | 494 | 672 | 22 x 75 | 2600 | 3,77 |
| A16027 | M 27 | 45 | 255 | 130 | 28 | 72 | 62 | 48 | 226 | 452 | 617 | 24 x 95 | 2600 | 6,12 |
| A16030 | M 30 | 45 | 255 | 130 | 38 | 92 | 79 | 56 | 257 | 514 | 679 | 27 x 120 | 3400 | 7,54 |
| A16033 | M 33 | 48 | 295 | 150 | 38 | 92 | 85 | 60 | 278 | 556 | 755 | 30 x 115 | 4000 | 8,94 |
| A16036 | M 36 | 55 | 295 | 170 | 45 | 92 | 85 | 76 | 297 | 594 | 808 | 30 x 115 | 4800 | 13 |
| A16039 | M 39 | 58 | 330 | 170 | 45 | 85 | 86 | 76 | 297 | 594 | 808 | 33 x 118 | 5600 | 16 |

TENDITORE ZINCATO A DUE OCCHI DIN I 480

Acciaio Fe 430 B

CARFER



| Codice | Misura | A | B | C | D | E | F | L1 | L2 | S.W.L. | Peso | |
|---------|--------|----|-----|-----|-----|----|------|-----|-----|--------|-------|--|
| | | mm | mm | mm | mm | mm | mm | mm | mm | Kg | Kg | |
| A16106 | M 6 | 12 | 110 | 74 | 50 | 10 | 4 | 140 | 226 | 225 | 0,08 | |
| A16108 | M 8 | 15 | 110 | 80 | 52 | 11 | 5 | 150 | 230 | 410 | 0,14 | |
| A16110 | M 10 | 18 | 125 | 97 | 60 | 14 | 6,5 | 181 | 270 | 650 | 0,25 | |
| A16112 | M 12 | 21 | 125 | 106 | 67 | 17 | 8 | 194 | 279 | 930 | 0,37 | |
| A16114 | M 14 | 24 | 140 | 126 | 83 | 18 | 8,5 | 235 | 332 | 1330 | 0,51 | |
| A16116 | M 16 | 27 | 170 | 160 | 97 | 23 | 13 | 294 | 410 | 1770 | 0,95 | |
| A16120 | M 20 | 34 | 200 | 190 | 116 | 25 | 14 | 352 | 484 | 2700 | 1,48 | |
| A16122 | M 22 | 36 | 220 | 200 | 120 | 30 | 16 | 368 | 516 | 3300 | 2,06 | |
| A16124 | M 24 | 39 | 255 | 210 | 125 | 34 | 17 | 386 | 563 | 3920 | 2,76 | |
| A16127 | M 27 | 45 | 255 | 236 | 150 | 34 | 18,5 | 435 | 600 | 4950 | 3,91 | |
| A16130 | M 30 | 45 | 255 | 242 | 150 | 39 | 21 | 441 | 603 | 6250 | 4,05 | |
| A16133 | M 33 | 55 | 295 | 242 | 150 | 39 | 21 | 442 | 627 | 7560 | 5,75 | |
| A16136 | M 36 | 55 | 295 | 276 | 165 | 49 | 28 | 498 | 681 | 9100 | 7,25 | |
| A16139 | M 39 | 63 | 330 | 276 | 165 | 49 | 28 | 496 | 700 | 10600 | 9,36 | |
| A16142 | M 42 | 63 | 330 | 320 | 180 | 55 | 40 | 560 | 764 | 12500 | 13,96 | |
| A16145 | M 45 | 78 | 355 | 322 | 180 | 55 | 40 | 564 | 763 | 14400 | 19,1 | |
| A16148 | M 48 | 78 | 355 | 322 | 180 | 55 | 40 | 564 | 763 | 16500 | 19,3 | |
| A16152* | | | | | | | | | | | | |

*a richiesta


TENDITORE ZINCATO OCCHIO/GANCIO DIN I 480

Acciaio Fe 430 B

CARFER



| Codice | Misura | A | B | C | D | E | F | G | H | L1 | L2 | S.W.L. | Peso |
|--------|--------|----|-----|-----|-----|----|-----|-----|------|-----|-----|--------|------|
| | | mm | mm | mm | mm | mm | mm | mm | mm | mm | mm | Kg | Kg |
| A16206 | M 6 | 12 | 110 | 74 | 50 | 10 | 76 | 50 | 8 | 140 | 226 | 75 | 0,09 |
| A16208 | M 8 | 15 | 110 | 80 | 52 | 11 | 89 | 52 | 10 | 155 | 235 | 165 | 0,14 |
| A16210 | M 10 | 18 | 125 | 97 | 60 | 14 | 103 | 62 | 13 | 185 | 273 | 235 | 0,28 |
| A16212 | M 12 | 21 | 125 | 106 | 67 | 17 | 121 | 65 | 17 | 208 | 290 | 320 | 0,41 |
| A16214 | M 14 | 24 | 140 | 126 | 83 | 18 | 144 | 82 | 14 | 248 | 344 | 420 | 0,57 |
| A16216 | M 16 | 27 | 170 | 160 | 97 | 23 | 168 | 100 | 16,5 | 303 | 419 | 530 | 0,96 |
| A16220 | M 20 | 34 | 200 | 190 | 116 | 25 | 185 | 110 | 17 | 341 | 473 | 730 | 1,54 |
| A16222 | M 22 | 36 | 220 | 200 | 120 | 30 | 216 | 125 | 22 | 379 | 527 | 1120 | 2,13 |
| A16224 | M 24 | 39 | 255 | 210 | 125 | 34 | 225 | 125 | 23 | 391 | 568 | 1550 | 2,84 |
| A16227 | M 27 | 45 | 255 | 236 | 150 | 34 | 250 | 146 | 29 | 437 | 602 | 1870 | 3,89 |
| A16230 | M 30 | 45 | 255 | 242 | 150 | 39 | 250 | 140 | 30 | 439 | 604 | 2240 | 4,15 |
| A16233 | M 33 | 55 | 295 | 242 | 150 | 39 | 250 | 140 | 30 | 441 | 626 | 2850 | 5,88 |
| A16236 | M 36 | 55 | 295 | 276 | 165 | 49 | 288 | 170 | 30 | 497 | 682 | 3530 | 7,53 |
| A16239 | M 39 | 63 | 330 | 276 | 165 | 49 | 288 | 170 | 30 | 505 | 709 | 4150 | 9,38 |




TENDITORE ZINCATO A 2 GANCI DIN I 480

Acciaio Fe 430 B

CARFER




| Codice | Misura | A | B | C | D | E | L1 | L2 | S.W.L. | Peso |
|--------|--------|----|-----|-----|-----|------|-----|-----|--------|------|
| | | mm | mm | mm | mm | mm | mm | mm | Kg | Kg |
| A16306 | M 6 | 12 | 110 | 76 | 50 | 8 | 140 | 226 | 75 | 0,1 |
| A16308 | M 8 | 15 | 110 | 89 | 52 | 10 | 160 | 240 | 165 | 0,14 |
| A16310 | M 10 | 18 | 125 | 103 | 62 | 13 | 188 | 277 | 235 | 0,31 |
| A16312 | M 12 | 21 | 125 | 121 | 65 | 17 | 220 | 303 | 320 | 0,45 |
| A16314 | M 14 | 24 | 140 | 144 | 82 | 14 | 260 | 357 | 420 | 0,63 |
| A16316 | M 16 | 27 | 170 | 168 | 100 | 16,5 | 308 | 428 | 530 | 0,97 |
| A16320 | M 20 | 34 | 200 | 185 | 110 | 17 | 330 | 462 | 730 | 1,6 |
| A16322 | M 22 | 36 | 220 | 216 | 125 | 22 | 390 | 538 | 1120 | 2,2 |
| A16324 | M 24 | 39 | 255 | 225 | 125 | 23 | 396 | 573 | 1550 | 2,92 |
| A16327 | M 27 | 45 | 255 | 250 | 146 | 29 | 440 | 605 | 1870 | 3,87 |
| A16330 | M 30 | 45 | 255 | 250 | 140 | 30 | 440 | 605 | 2240 | 4,25 |
| A16333 | M 33 | 55 | 295 | 250 | 140 | 30 | 440 | 625 | 2850 | 6 |
| A16336 | M 36 | 55 | 295 | 288 | 170 | 30 | 498 | 683 | 3530 | 7,81 |
| A16339 | M 39 | 63 | 330 | 288 | 170 | 30 | 598 | 760 | 4150 | 9,4 |



TENDITORE ZINCATO A DUE TRONCHI DIN I 480

Acciaio Fe 430 B

CARFER




| Codice | Misura | A | B | C | D | E | L1 | L2 | S.W.L. | Peso |
|--------|--------|----|-----|-----|-----|------|-----|------|--------|-------|
| | | mm | mm | mm | mm | mm | mm | mm | Kg | Kg |
| A17108 | M 8 | 15 | 110 | 120 | 65 | 7,05 | 240 | 338 | 410 | 0,16 |
| A17110 | M 10 | 18 | 125 | 150 | 75 | 8,8 | 300 | 407 | 650 | 0,31 |
| A17112 | M 12 | 21 | 125 | 150 | 75 | 10,7 | 300 | 407 | 930 | 0,43 |
| A17114 | M 14 | 24 | 140 | 180 | 90 | 12,7 | 360 | 477 | 1320 | 0,61 |
| A17116 | M 16 | 27 | 170 | 200 | 100 | 14,5 | 400 | 543 | 1770 | 0,97 |
| A17120 | M 20 | 34 | 200 | 220 | 120 | 18,7 | 440 | 606 | 2700 | 1,7 |
| A17122 | M 22 | 36 | 220 | 240 | 130 | 21,7 | 480 | 664 | 3300 | 2,38 |
| A17124 | M 24 | 39 | 255 | 260 | 150 | 22,5 | 520 | 736 | 3920 | 2,94 |
| A17127 | M 27 | 45 | 255 | 260 | 160 | 24,8 | 520 | 736 | 4950 | 4,15 |
| A17130 | M 30 | 45 | 255 | 260 | 175 | 27,5 | 520 | 736 | 6250 | 4,45 |
| A17133 | M 33 | 55 | 295 | 300 | 190 | 30,7 | 600 | 810 | 7560 | 6,57 |
| A17136 | M 36 | 55 | 295 | 300 | 190 | 33,1 | 600 | 840 | 9100 | 7,17 |
| A17139 | M 39 | 63 | 330 | 350 | 210 | 39 | 700 | 967 | 10600 | 10,32 |
| A17142 | M 42 | 63 | 330 | 350 | 210 | 42 | 700 | 967 | 12500 | 11,18 |
| A17145 | M 45 | 78 | 355 | 350 | 210 | 45 | 700 | 977 | 14400 | 16,9 |
| A17148 | M 48 | 78 | 355 | 380 | 220 | 48 | 760 | 1037 | 16500 | 18,58 |
| A17152 | M 52 | 78 | 355 | 380 | 220 | 52 | 760 | 1037 | 19800 | 18,46 |
| A17156 | M 56 | 78 | 355 | 410 | 240 | 56 | 820 | 1097 | 23000 | 19,06 |

CANAULA ZINCATA DIN I 480

Acciaio Fe 430 B

CARFER



| Codice | Misura | A | B | C | E | F | G | H | S.W.L. | Peso |
|---------|--------|----|-----|-----|----|----|----|-----|--------|------|
| | | mm | mm | mm | mm | mm | mm | mm | Kg | Kg |
| A172Z06 | M 6 | 12 | 86 | 110 | 6 | 12 | 9 | 19 | 225 | 0,06 |
| A172Z08 | M 8 | 15 | 80 | 110 | 8 | 15 | 11 | 23 | 410 | 0,08 |
| A172Z10 | M 10 | 18 | 89 | 125 | 9 | 18 | 14 | 30 | 650 | 0,15 |
| A172Z12 | M 12 | 21 | 83 | 125 | 11 | 21 | 16 | 34 | 930 | 0,19 |
| A172Z14 | M 14 | 24 | 97 | 140 | 12 | 24 | 18 | 38 | 1330 | 0,25 |
| A172Z16 | M 16 | 27 | 116 | 170 | 14 | 27 | 20 | 42 | 1770 | 0,39 |
| A172Z18 | M 18 | 27 | 116 | 170 | 14 | 27 | 20 | 42 | 2200 | 0,39 |
| A172Z20 | M 20 | 34 | 132 | 200 | 17 | 34 | 24 | 52 | 2700 | 0,72 |
| A172Z22 | M 22 | 36 | 148 | 220 | 19 | 37 | 26 | 56 | 3300 | 0,92 |
| A172Z24 | M 24 | 39 | 177 | 255 | 20 | 39 | 28 | 60 | 3920 | 1,34 |
| A172Z27 | M 27 | 45 | 165 | 255 | 23 | 45 | 34 | 74 | 4950 | 1,81 |
| A172Z30 | M 30 | 45 | 165 | 255 | 23 | 45 | 34 | 74 | 6250 | 1,85 |
| A172Z33 | M 33 | 55 | 185 | 295 | 28 | 55 | 40 | 86 | 7560 | 3,15 |
| A172Z36 | M 36 | 55 | 185 | 295 | 28 | 55 | 40 | 86 | 9100 | 3,15 |
| A172Z39 | M 39 | 63 | 204 | 330 | 32 | 63 | 50 | 104 | 10600 | 4,6 |
| A172Z42 | M 42 | 63 | 204 | 330 | 32 | 63 | 50 | 104 | 12500 | 4,5 |
| A172Z45 | M 45 | 78 | 199 | 355 | 40 | 80 | 65 | 135 | 14400 | 8,6 |
| A172Z48 | M 48 | 78 | 199 | 355 | 40 | 80 | 65 | 135 | 16500 | 8,9 |
| A172Z52 | M 52 | 78 | 199 | 355 | 40 | 80 | 65 | 135 | 19800 | 8,26 |
| A172Z56 | M 56 | 78 | 199 | 355 | 40 | 80 | 65 | 135 | 23000 | 7,26 |