



# GIUNTI E FALSE PER CATENA "BEA" CONNECTING LINK AND OFFSET LINK FOR ROLLER CHAINS "BEA"



1



2



3



4





Descrizione ISO	p mm	SERIE EUROPEA GIUNTI		FALSE	
		tipo	codice	tipo	codice
04-1	6	1	610106026		
05B-1	8	1	610108026		
05B-2	8	1	610108226		
06B-1	9,525	4	610109026	3	610109059
06B-2	9,525	4	610109226	3	610109259
06B-3	9,525	4	610109326	3	610109359
08B-1	12,7	1	610112026	3	610112059
08B-2	12,7	1	610112226	3	610112259
08B-3	12,7	1	610112326	3	610112359
10B-1	15,875	1	610115026	3	610115059
10B-2	15,875	1	610115226	3	610115259
10B-3	15,875	1	610115326	3	610115359
12B-1	19,05	1	610119026	3	610119059
12B-2	19,05	1	610119226	3	610119259
12B-3	19,05	1	610119326	3	610119359
16B-1	25,4	1	610125026	3	610125059
16B-2	25,4	1	610125226	3	610125259
16B-3	25,4	1	610125326	3	610125359
20B-1	31,75	2	610131026	3	610131059
20B-2	31,75	2	610131226	3	610131259
20B-3	31,75	2	610131326	3	610131359
24B-1	38,1	2	610138026	3	610138059
24B-2	38,1	2	610138226	3	610138259
24B-3	38,1	2	610138326	3	610138359
28B-1	44,45	2	610144026	3	610144059
28B-2	44,45	2	610144226	3	610144259
28B-3	44,45	2	610144326	3	610144359
32B-1	50,8	2	610150026	3	610150059
32B-2	50,8	2	610150226	3	610150259
32B-3	50,8	2	610150326	3	610150359
40B-1	63,5	2	610163026	3	610163059
40B-2	63,5	2	610163226	3	610163259

Descrizione ANSI	p mm	SERIE AMERICANA GIUNTI		FALSE	
		tipo	codice	tipo	codice
35-1	9,525	1	630035026	3	630035059
35-2	9,525	1	630035226	3	630035259
* 35-3	9,525	1	630035326	3	630035359
40-1	12,7	1	630040026	3	630040059
40-2	12,7	1	630040226	3	630040259
* 40-3	12,7	1	630040326	3	630040359
50-1	15,875	1	630050026	3	630050059
50-2	15,875	1	630050226	3	630050259
* 50-3	15,875	1	630050326	3	630050359
60-1	19,05	1	630060026	3	630060059
60-2	19,05	1	630060226	3	630060259
* 60-3	19,05	1	630060326	3	630060359
80-1	25,4	1	630080026	3	630080059
80-2	25,4	1	630080226	3	630080259
* 80-3	25,4	1	630080326	3	630080359
100-1	31,75	2	630100026	3	630100059
100-2	31,75	2	630100226	3	630100259
* 100-3	31,75	2	630100326	3	630100359
120-1	38,15	2	630120026	3	630120059
120-2	38,15	2	630120226	3	630120259
* 120-3	38,15	2	630120326	3	630120359
140-1	44,45	2	630140026	3	630140059
140-2	44,45	2	630140226	3	630140259
* 140-3	44,45	2	630140326	3	630140359
160-1	50,8	2	630160026	3	630160059
160-2	50,8	2	630160226	3	630160259
* 160-3	50,8	2	630160326	3	630160359
60-1H	19,05	1	631060026	3	631060059
80-1H	25,4	1	631080026	3	631080059
100-1H	31,75	2	631100026	3	631100059

\* Costruiti a richiesta - manufactured on request.



# GIUNTI E FALSE PER CATENA "BEA" CONNECTING LINK AND OFFSET LINK FOR ROLLER CHAINS "BEA"



Descrizione ISO	ATTACCHI ANGOLARI - A1/02				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	A1	614109110		
08B-1	12,7	A1	614112110		
10B-1	15,875	A1	614115110		
12B-1	19,05	A1	614119110		
16B-1	25,4	A1	614125110		

Descrizione ISO	ATTACCHI VERTICALI - M1-02				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	M1	613109110		
08B-1	12,7	M1	613112110		
10B-1	15,875	M1	613115110		
12B-1	19,05	M1	613119110		
16B-1	25,4	M1	613125110		

Descrizione ISO	ATTACCHI ANGOLARI - K1/02				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	K1	614109210		
08B-1	12,7	K1	614112210		
10B-1	15,875	K1	614115210		
12B-1	19,05	K1	614119210		
16B-1	25,4	K1	614125210		

Descrizione ISO	ATTACCHI VERTICALI - MK1-02				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	MK1	613109210		
08B-1	12,7	MK1	613112210		
10B-1	15,875	MK1	613115210		
12B-1	19,05	MK1	613119210		
16B-1	25,4	MK1	613125210		

Descrizione ISO	ATTACCHI ANGOLARI - A1/01				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	A1	614109110		
08B-1	12,7	A1	614112110		
10B-1	15,875	A1	614115110		
12B-1	19,05	A1	614119110		
16B-1	25,4	A1	614125110		

Descrizione ISO	ATTACCHI VERTICALI - M1-01				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	M1	613109110		
08B-1	12,7	M1	613112110		
10B-1	15,875	M1	613115110		
12B-1	19,05	M1	613119110		
16B-1	25,4	M1	613125110		

Descrizione ISO	ATTACCHI ANGOLARI - K1/01				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	K1	614109210		
08B-1	12,7	K1	614112210		
10B-1	15,875	K1	614115210		
12B-1	19,05	K1	614119210		
16B-1	25,4	K1	614125210		

Descrizione ISO	ATTACCHI VERTICALI - MK1/01				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	MK1	613109210		
08B-1	12,7	MK1	613112210		
10B-1	15,875	MK1	613115210		
12B-1	19,05	MK1	613119210		
16B-1	25,4	MK1	613125210		

Descrizione ISO	ATTACCHI ANGOLARI - A2/02				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	A2	614109120		
08B-1	12,7	A2	614112120		
10B-1	15,875	A2	614115120		
12B-1	19,05	A2	614119120		
16B-1	25,4	A2	614125120		


Descrizione ISO	ATTACCHI VERTICALI - M2/02				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	M2	613109120		
08B-1	12,7	M2	613112120		
10B-1	15,875	M2	613115120		
12B-1	19,05	M2	613119120		
16B-1	25,4	M2	613125120		

Descrizione ISO	ATTACCHI ANGOLARI - K2/02				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	K2	614109220		
08B-1	12,7	K2	614112220		
10B-1	15,875	K2	614115220		
12B-1	19,05	K2	614119220		
16B-1	25,4	K2	614125220		

Descrizione ISO	ATTACCHI VERTICALI - MK2/02				
	p mm	GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	MK2	613109220		
08B-1	12,7	MK2	613112220		
10B-1	15,875	MK2	613115220		
12B-1	19,05	MK2	613119220		
16B-1	25,4	MK2	613125220		



# GIUNTI E FALSE PER CATENA "BEA" CONNECTING LINK AND OFFSET LINK FOR ROLLER CHAINS "BEA"



Descrizione ISO	p mm	PIASTRE A PROFILO DIRITTO GIUNTI		FALSE	
		tipo	codice	tipo	codice
08B-1	12,7	4	611112026		
10B-1	15,875	4	611115026		
10B-2	15,875	4	611115226		
12B-1	19,05	4	611119026		
12B-2	19,05	4	611119226		
16B-1	25,4	4	611125026		
16B-2	25,4	4	611125226		
20B-1	31,75	5	611131026		
20B-2	31,75	5	611131226		

Descrizione ISO	p mm	NICHELATA GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	6	646109026	7	646109059
06B-2	9,525	6	646109226	7	646109259
08B-1	12,7	6	646112026	7	646112059
08B-2	12,7	6	646112226	7	646112259
10B-1	15,875	6	646115026	7	646115059
10B-2	15,875	6	646115226	7	646115259
12B-1	19,05	6	646119026	7	646119059
12B-2	19,05	6	646119226	7	646119259
16B-1	25,4	6	646125026	7	646125059
16B-2	25,4	6	646125226	7	646125259

Descrizione ISO	p mm	PERNO FORATO TIPO "A" - A BUSSOLA GIUNTI		FALSE	
		tipo	codice	tipo	codice
08B-1	12,7	8	611512026		
10B-1	15,875	8	611515026		
12B-1	19,05	8	611519026		

Descrizione ISO	p mm	PERNO FORATO TIPO "B" - A RULLI GIUNTI		FALSE	
		tipo	codice	tipo	codice
08B-1	12,7	9	611612026		
10B-1	15,875	9	611615026		
12B-1	19,05	9	611619026		
16B-1	25,4	9	611625026		

Descrizione ISO	p mm	AUTOLUBRIFICATA GIUNTI		FALSE	
		tipo	codice	tipo	codice
08B-1	12,7				
10B-1	15,875				
12B-1	19,05				

Descrizione ISO	p mm	"O-RING" GIUNTI		FALSE	
		tipo	codice	tipo	codice
08B-1	12,7	10	644112026		
10B-1	15,875	10	644115026		

Descrizione ISO	p mm	PERNI SPORGENTI GIUNTI		FALSE	
		tipo	codice	tipo	codice
06B-1	9,525	11	615109026		
08B-1	12,7	11	615112026		
10B-1	15,875	11	615115026		
12B-1	19,05	11	615119026		
16B-1	25,4	11	615125026		

Descrizione ISO	p mm	ACCUMULO GIUNTI		FALSE	
		tipo	codice	tipo	codice
12B-3	19,50	12	612119026		